



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER OF PATENTS AND TRADEMARKS  
Washington, D.C. 20231  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/904,415	07/12/2001	Paul Goldman	OB-200	3576

7590 03/26/2003

Patent Counsel  
The Gillette Company  
39th Floor  
Prudential Tower Bldg.  
Boston, MA 02199

EXAMINER

O CONNOR, CARY E

ART UNIT

PAPER NUMBER

3732

DATE MAILED: 03/26/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

On

**Response to Amendment**

The reply filed on February 7, 2003 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s):

The disclosure is objected to because it contains an embedded hyperlink and/or other form of browser-executable code. Applicant is required to delete the embedded hyperlink and/or other form of browser-executable code. See MPEP § 608.01.

The specification is objected to because reference character "34" has been used to designate both a valve (page 3, line 43) and an inlet (page 4, line 8).

Correction is required. See 37 CFR 1.111. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. **EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).**

**Information Disclosure Statement**

The information disclosure statement filed July 12, 2001 fails to comply with 37 CFR 1.98(a)(2), which requires a legible copy of each U.S. and foreign patent; each publication or that portion which caused it to be listed; and all other information or that portion which caused it to be listed. It has been placed in the application file, but the information referred to therein has not been considered.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Cary E.


Application/Control Number: 09/904,415  
Art Unit: 3732

Page 3

O'Connor whose telephone number is 703-308-2701. The examiner can normally be reached on M-F 7:00-3:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kevin Shaver can be reached on 703-308-2582. The fax phone numbers for the organization where this application or proceeding is assigned are 703-308-0758 for regular communications and 703-308-0758 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0858.

  
Cary E. O'Connor  
Primary Examiner  
Art Unit 3732

ceo  
March 24, 2003